

NOTE:

- 1 ALL RESISTORS ARE IN OHMS UNLESS INDICATED OTHERWISE.
- 2 ALL RESISTORS ARE RN55D, .25 W, 1% UNLESS INDICATED OTHERWISE.
- 3 $K=10^3$, $M=10^6$.
- 4 ALL CAPACITORS ARE IN MICRO-FARADS UNLESS INDICATED OTHERWISE.
- 5 $n=10^{-9}$, $p=10^{-12}$.

MARK
LEVINSON audio systems, Ltd.

TITLE:



BIAS SENSOR

USED IN:

ML-5 (RECORD)

DWG. NO.

94-0283-00



NOTE


- 1 ALL RESISTORS ARE IN OHMS UNLESS INDICATED OTHERWISE
- 2 ALL RESISTORS ARE RN55D, .25W, 1% UNLESS INDICATED OTHERWISE.
- 3 $K=10^3$, $M=10^6$
- 4 ALL CAPACITORS ARE IN MICRO-FARADS UNLESS INDICATED OTHERWISE.
- 5 $n=10^{-9}$, $p=10^{-12}$.

MARK
LEVINSON audio systems, ltd.

TITLE:
RECORD CARD SPEED CHANGE

USED IN:
ML-5

DWG. NO.
94-0284-00



* Refer to drawing no. 94-0284-00.

⊕ Refer to drawing no. 94-0283-00.

⊙ Not completed for operation on stock cards.

MARK LEVINSON audio systems, ltd.

TITLE:
15/30 RECORD

USED IN:
ML-5

DWG. NO.
94-0282-00