



**ADAM**  
PROFESSIONAL AUDIO

**Schematics/Schaltpläne**

**ADAM Audio**


**Active Studio Monitor**

**P22A**


**ICE 1.3**

12.06.2007	filters				
	LP	HP	EQ-frequency [Hz]	EQ-Q [Oct]	EQ-gain [dB]
P22A ICE200 1.3					
input					
Tweeter		2000Hz / 24dB, Butterworth			
Low-Mid					
Low	1640Hz / 24dB, Butterworth	25Hz / 24dB, Butterworth	40	1	4


12.06.2007	amplifier						
	driver polarity	clipping frequency [Hz]	clipping output voltage [V]	R	clipping time adjust	amp modules	first amplifier number
P22A ICE200 1.3							
input							
Tweeter	invers	5000	10	3k6 / 100	100K/10nF	200AC	12810
Low-Mid							
Low	invers	40	17	3k6 / 180	100K/1µF	200ASC	





# Rohde & Schwarz UPV



## MLSSA







ADAM Audio GmbH


TITLE: P22A Filter rev1-3

Document Number: 203-02-01

REV:

Date: 12.06.2007 15:02:33

Sheet: 1/2



ADAM Audio GmbH		
TITLE: P22A Filter rev1-3		
Document Number:	203-02-01	REV:
Date:	12.06.2007 15:02:33	Sheet: 2/2

