

Setup title "FET Id-Vg [2HL]"
Application "FET Id-Vg [2HL]"
Test date 9/6/2019
Test time 23:18:12

PF5102 2 Transfer Function
Drain voltage for test was constant 15V

Vgate	Amps
	Idrain
-0.9	3.28003E-07
-0.89	4.61791E-07
-0.88	6.49304E-07
-0.87	9.07561E-07
-0.86	0.000001262
-0.85	1.74991E-06
-0.84	2.40728E-06
-0.83	3.29293E-06
-0.82	4.47303E-06
-0.81	6.02733E-06
-0.8	8.05494E-06
-0.79	1.06585E-05
-0.78	1.39821E-05
-0.77	1.81549E-05
-0.76	2.33285E-05
-0.75	2.96683E-05
-0.74	3.73314E-05
-0.73	4.64854E-05
-0.72	5.72813E-05
-0.71	6.98778E-05
-0.7	8.43831E-05
-0.69	0.000100941
-0.68	0.000119578
-0.67	0.000140498
-0.66	0.00016373
-0.65	0.00018931
-0.64	0.000217293
-0.63	0.000247692
-0.62	0.000280468
-0.61	0.000315682
-0.6	0.000353305
-0.59	0.00039335
-0.58	0.000435754
-0.57	0.000480496
-0.56	0.00052755
-0.55	0.00057692
-0.54	0.000628549
-0.53	0.000682419
-0.52	0.000738465

-0.51	0.000796685
-0.5	0.000857012
-0.49	0.000919446
-0.48	0.000983974
-0.47	0.00105008
-0.46	0.00111864
-0.45	0.0011892
-0.44	0.0012617
-0.43	0.00133609
-0.42	0.00141239
-0.41	0.00149054
-0.4	0.00157054
-0.39	0.00165238
-0.38	0.00173598
-0.37	0.00182136
-0.36	0.0019085
-0.35	0.0019973
-0.34	0.00208782
-0.33	0.00217999
-0.32	0.00227382
-0.31	0.00236933
-0.3	0.00246642
-0.29	0.00256514
-0.28	0.0026654
-0.27	0.00276726
-0.26	0.00287062
-0.25	0.00297551
-0.24	0.00308196
-0.23	0.00318982
-0.22	0.00329922
-0.21	0.00341009
-0.2	0.00352243
-0.19	0.00363619
-0.18	0.00375138
-0.17	0.00386799
-0.16	0.003986
-0.15	0.00410541
-0.14	0.0042262
-0.13	0.00434835
-0.12	0.00447186
-0.11	0.00459667
-0.1	0.00472286
-0.09	0.00485039
-0.08	0.00497919
-0.07	0.00510936
-0.06	0.00524085
-0.05	0.00537357

-0.04	0.0055076
-0.03	0.00564294
-0.02	0.00577956
-0.01	0.0059174
0	0.00605652