

	spl	fo	Qts	BL	Mms	sd	Mms/sd	E/H
								bigger better
<u>Beyma 21L50</u>	98	33	0.43	28	0.29	0.18	1.627	17.210
<u>Beyma 18G40</u>	97	31	0.41	22.5	0.17	0.13	1.315	17.105
<u>Beyma 18LX60</u>	98	27	0.37	20.5	0.17	0.13	1.303	15.733
<u>Beyma 118ND/W</u>	98	36	0.4	25.3	0.19	0.13	1.462	17.311
<u>Beyma 18G50</u>	98	40	0.33	28.8	0.17	0.13	1.288	22.362
<u>Beyma 18G550</u>	98	36	0.37	24.4	0.19	0.12	1.583	15.411
<u>Beyma 18P1000</u>	97	32	0.36	26	0.21	0.12	1.717	15.146
<u>Beyma SM118N</u>	97	36	0.49	18.3	0.12	0.12	1.070	17.110
TT 12" ceramic 16ohms	96.1	78.1	0.85	14.9	0.03	0.06	0.600	24.833
TT 12" alnico 16 ohms	96.4	76.9	0.88	13.6	0.03	0.06	0.527	25.793
18Sound 21LW1400	99	24	0.24	33.5	0.3	0.17	1.781	18.810