



4

THIS DRAWING IS UNPUBLISHED.

3

RELEASED FOR PUBLICATION

2

LOC
HB

1

DIST

REVISIONS

P	LTR	DESCRIPTION	ECN	DATE	DWN	APVD

NOTES:

1.LOT NO. SYSTEM AS FOLLOWING:

0

8

2

5

WEEK

YEAR

2.GENERAL TOLERANCE AS FOLLOWING:

TOLERANCE	
0~0.99mm	±0.1
1mm~2.99mm	±0.2
3mm MIN.	±0.3

3.TERMINAL DIMENSION IS NOT INCLUDING SOLDER TIP.

7-1440001-2	OMI-SS-248D	48V	OMI-SS-248D
1461331-1	OMI-SH-248D	48V	OMI-SH-248D
7-1440001-1	OMI-SS-236D	36V	OMI-SS-236D
1-1461331-2	OMI-SH-224D	24V	OMI-SH-224D
3-1440001-2	OMI-SH-224D	24V	OMI-SH-224D
6-1440001-4	OMI-SS-224D	24V	OMI-SS-224D
3-1440001-1	OMI-SH-218D	18V	OMI-SH-218D
1-1461331-0	OMI-SH-212D	12V	OMI-SH-212D
2-1440001-4	OMI-SH-212D	12V	OMI-SH-212D
5-1440001-3	OMI-SS-212D	12V	OMI-SS-212D
5-1440001-2	OMI-SS-212D	12V	OMI-SS-212D
1461331-7	OMI-SH-209D	9V	OMI-SH-209D
2-1440001-3	OMI-SH-209D	9V	OMI-SH-209D
4-1440001-9	OMI-SS-209D	9V	OMI-SS-209D
2-1440001-0	OMI-SH-206D	6V	OMI-SH-206D
4-1440001-4	OMI-SS-206D	6V	OMI-SS-206D
1461331-3	OMI-SH-205D	5V	OMI-SH-205D
1-1440001-7	OMI-SH-205D	5V	OMI-SH-205D
4-1440001-1	OMI-SS-205D	5V	OMI-SS-205D
1721031-1	OMI-SS-203D	3V	OMI-SS-203D
PART NO	DESCRIPTION	PART B	PART A

RELAY TYPE

7-1440001-4	OMI-SS-248L	48V	OMI-SS-248L
1461331-2	OMI-SH-248L	48V	OMI-SH-248L
3-1440001-7	OMI-SH-248L	48V	OMI-SH-248L
3-1440001-4	OMI-SH-224L	24V	OMI-SH-224L
3-1440001-3	OMI-SH-224L	24V	OMI-SH-224L
6-1440001-7	OMI-SS-224L	24V	OMI-SS-224L
6-1440001-1	OMI-SS-215L	15V	OMI-SS-215L
2-1440001-7	OMI-SH-212L	12V	OMI-SH-212L
1461012-1	OMI-SH-212L	12V	OMI-SH-212L
5-1440001-7	OMI-SS-212L	12V	OMI-SS-212L
1461248-1	OMI-SH-209L	9V	OMI-SH-209L
5-1440001-1	OMI-SS-209L	9V	OMI-SS-209L
5-1440001-0	OMI-SS-209L	9V	OMI-SS-209L
2-1440001-1	OMI-SH-206L	6V	OMI-SH-206L
4-1440001-6	OMI-SS-206L	6V	OMI-SS-206L
7-1440004-8	OMI-SH-205L	5V	OMI-SH-205L
4-1440001-2	OMI-SS-205L	5V	OMI-SS-205L
1731031-2	OMI-SS-203L	3V	OMI-SS-203L
PART NO	DESCRIPTION	PART B	PART A

RELAY TYPE

		UV RESIN	UV SEAL	17
		EPOXY RESIN	SEAL	16
		—	TAPE	15
UL94 V-0		PBT	CASE	14
CLASS E		UEW	MAGNETIC WIRE	13
UL94 V-0		PET	BASE	12
UL94 V-0		PBT	BOBBIN	11
	SOLDER DIP	CP WIRE	COIL TERMINAL	10
UL94 V-0		PPS	CARD	9
		Ag ALLOY	MOVABLE CONTACT	8
		Ag ALLOY	STATIONARY CONTACT	7
		Cu ALLOY	HINGE SPRING	6
	SOLDER DIP	Cu ALLOY	STATIONARY TERMINAL	5
	SOLDER DIP	Cu ALLOY	MOVABLE SPRING	4
		STEEL	CORE	3
		STEEL	ARMATURE	2
		STEEL	YOKE	1
INCOMBUSTIBILITY	TREATMENT	MATERIAL	DESCRIPTION	ITEM

DWN

CHK

APVD

PRODUCT SPEC

APPLICATION SPEC

WEIGHT

CUSTOMER DRAWING

TE Connectivity

NAME

OMI CUSTOMER DRAWING

SIZE

CAGE CODE

DRAWING NO

RESTRICTED TO

SCALE

SHEET

OF

REV

0

1

2

3

4

PLC

±

0

1

2

3

4

PLC

±

SEE MATERIAL TABLE

FINISH

DIMENSIONS:

mm

TOLENCES UNLESS OTHERWISE SPECIFIED:

—

A3

00779

5-1440001-2

4:1

2

2

A1