

OVERALL CIRCUIT DIAGRAM 1/4 (COIL-L, DC)

P1000S/P2500S/P3500S

Components having special characteristics are marked Δ and must be replaced with parts having specifications equal to those originally installed. Δ




TABLE 1

MODEL	DESTINATION	F402	F403	F404	F405	F406	F407	F408	F409	F410	F411	F412	F413	F414	F415	F416	F417	F418	F419	F420
P800S	J	10A 250V	10A 250V	10A 250V	1A 250V	1A 250V	1A 250V	1A 250V	1A 250V	1A 250V	1A 250V	1A 250V	1A 250V	1A 250V	1A 250V	1A 250V	1A 250V	1A 250V	1A 250V	1A 250V
	H	10A 250V	10A 250V	10A 250V	1A 250V	1A 250V	1A 250V	1A 250V	1A 250V	1A 250V	1A 250V	1A 250V	1A 250V	1A 250V	1A 250V	1A 250V	1A 250V	1A 250V	1A 250V	1A 250V
P800S	J	10A 250V	10A 250V	10A 250V	1A 250V	1A 250V	1A 250V	1A 250V	1A 250V	1A 250V	1A 250V	1A 250V	1A 250V	1A 250V	1A 250V	1A 250V	1A 250V	1A 250V	1A 250V	1A 250V
	H	10A 250V	10A 250V	10A 250V	1A 250V	1A 250V	1A 250V	1A 250V	1A 250V	1A 250V	1A 250V	1A 250V	1A 250V	1A 250V	1A 250V	1A 250V	1A 250V	1A 250V	1A 250V	1A 250V
P1000S	J	17A 250V	17A 250V	17A 250V	1A 250V	1A 250V	1A 250V	1A 250V	1A 250V	1A 250V	1A 250V	1A 250V	1A 250V	1A 250V	1A 250V	1A 250V	1A 250V	1A 250V	1A 250V	1A 250V
	H	17A 250V	17A 250V	17A 250V	1A 250V	1A 250V	1A 250V	1A 250V	1A 250V	1A 250V	1A 250V	1A 250V	1A 250V	1A 250V	1A 250V	1A 250V	1A 250V	1A 250V	1A 250V	1A 250V

O: installed
—: not installed

• NJM7815FA(XD853A00)
REGULATOR +15V

1: OUTPUT
2: COMMON
3: INPUT

• RBV-2506 (V4833600)
DIODE STACK 25.0A 600V

1: OUTPUT
2: INPUT
3: COMMON

COIL-L:28CC1-8833626
DC:28CC1-8833625