

3044 Event	3044 default voice tones
Button 1	RINGTONE_TIMBRE(sine), RINGTONE_DECAY(16), RINGTONE_NOTE(D7, SEMIQUAVER),
Button 2	RINGTONE_TIMBRE(sine), RINGTONE_DECAY(16), RINGTONE_NOTE(D7, SEMIQUAVER), RINGTONE_NOTE(D7, SEMIQUAVER),
Button 3	RINGTONE_TIMBRE(sine), RINGTONE_DECAY(16), RINGTONE_NOTE(D7, SEMIQUAVER), RINGTONE_NOTE(D7, SEMIQUAVER), RINGTONE_NOTE(D7, SEMIQUAVER),
Button 4	RINGTONE_TIMBRE(sine), RINGTONE_DECAY(16), RINGTONE_NOTE(D7, SEMIQUAVER), RINGTONE_NOTE(D7, SEMIQUAVER), RINGTONE_NOTE(D7, SEMIQUAVER), RINGTONE_NOTE(D7, SEMIQUAVER),
button_factory_reset	RINGTONE_TIMBRE(sine), RINGTONE_DECAY(16), RINGTONE_NOTE(D7, SEMIQUAVER), RINGTONE_NOTE(A7, SEMIQUAVER), RINGTONE_NOTE(D7, SEMIQUAVER), RINGTONE_NOTE(C7, SEMIQUAVER), RINGTONE_NOTE(B7, SEMIQUAVER),
av_connect	RINGTONE_TIMBRE(sine), RINGTONE_DECAY(16), RINGTONE_NOTE(D7, SEMIQUAVER), RINGTONE_STOP
av_disconnect	RINGTONE_TIMBRE(sine), RINGTONE_DECAY(16), RINGTONE_NOTE(D7, SEMIQUAVER), RINGTONE_STOP
remote_control	RINGTONE_TIMBRE(sine), RINGTONE_DECAY(16), RINGTONE_NOTE(D7, SEMIQUAVER),
av_connected	RINGTONE_TIMBRE(sine), RINGTONE_DECAY(16), RINGTONE_NOTE(D6, SEMIQUAVER), RINGTONE_NOTE(A6, SEMIQUAVER), RINGTONE_STOP
av_disconnected	RINGTONE_TIMBRE(sine), RINGTONE_DECAY(16), RINGTONE_NOTE(A6, SEMIQUAVER), RINGTONE_NOTE(D6, SEMIQUAVER), RINGTONE_STOP
av_link_loss	RINGTONE_TIMBRE(sine), RINGTONE_DECAY(16), RINGTONE_NOTE(A5, SEMIQUAVER), RINGTONE_NOTE(D5, SEMIQUAVER), RINGTONE_NOTE(D5, SEMIQUAVER), RINGTONE_STOP
a2dp_not_routed	RINGTONE_TIMBRE(sine), RINGTONE_DECAY(16), RINGTONE_NOTE(A5, SEMIQUAVER), RINGTONE_NOTE(D5, SEMIQUAVER), RINGTONE_NOTE(D5, SEMIQUAVER),
gaming_mode_on	RINGTONE_TIMBRE(plucked), RINGTONE_DECAY(16), RINGTONE_NOTE(D6, HEMIDEMISEMIQUAVER), RINGTONE_NOTE(G6, HEMIDEMISEMIQUAVER), RINGTONE_NOTE(B6, HEMIDEMISEMIQUAVER),

3044 events and default voice tones.xlsx

gaming_mode_off	RINGTONE_TIMBRE(plucked), RINGTONE_DECAY(16), RINGTONE_NOTE(B6, HEMIDEMISEMIQUAVER), RINGTONE_NOTE(G6, HEMIDEMISEMIQUAVER), RINGTONE_NOTE(D6, HEMIDEMISEMIQUAVER),
hfp_connect	RINGTONE_TIMBRE(sine), RINGTONE_DECAY(16), RINGTONE_NOTE(D7, SEMIQUAVER), RINGTONE_STOP
hfp_connected	RINGTONE_TIMBRE(sine), RINGTONE_DECAY(16), RINGTONE_NOTE(D6, SEMIQUAVER), RINGTONE_NOTE(A6, SEMIQUAVER), RINGTONE_STOP
hfp_disconnected	RINGTONE_TIMBRE(sine), RINGTONE_DECAY(16), RINGTONE_NOTE(A6, SEMIQUAVER), RINGTONE_NOTE(D6, SEMIQUAVER), RINGTONE_STOP
hfp_link_loss	RINGTONE_TIMBRE(sine), RINGTONE_DECAY(16), RINGTONE_NOTE(A5, SEMIQUAVER), RINGTONE_NOTE(D5, SEMIQUAVER), RINGTONE_NOTE(D5, SEMIQUAVER), RINGTONE_STOP
hfp_sco_connected	RINGTONE_TIMBRE(sine), RINGTONE_DECAY(16), RINGTONE_NOTE(AS5, DEMISEMIQUAVER), RINGTONE_NOTE(DS6, DEMISEMIQUAVER), RINGTONE_STOP
hfp_sco_disconnected	RINGTONE_TIMBRE(sine), RINGTONE_DECAY(16), RINGTONE_NOTE(DS6, DEMISEMIQUAVER), RINGTONE_NOTE(AS5, DEMISEMIQUAVER), RINGTONE_STOP
hfp_mute_reminder	RINGTONE_TIMBRE(sine), RINGTONE_DECAY(16), RINGTONE_NOTE(D5, SEMIQUAVER), RINGTONE_NOTE(A5, SEMIQUAVER), RINGTONE_STOP
hfp_sco_unencrypted_reminder	RINGTONE_TIMBRE(sine), RINGTONE_DECAY(16), RINGTONE_NOTE(B5, SEMIQUAVER), RINGTONE_NOTE(B5, SEMIQUAVER), RINGTONE_NOTE(B5, SEMIQUAVER), RINGTONE_STOP
hfp_ring	RINGTONE_TIMBRE(sine), RINGTONE_DECAY(16), RINGTONE_NOTE(B6, SEMIQUAVER), RINGTONE_NOTE(G6, SEMIQUAVER), RINGTONE_NOTE(D7, SEMIQUAVER), RINGTONE_NOTE(REST, SEMIQUAVER), RINGTONE_NOTE(B6, SEMIQUAVER), RINGTONE_NOTE(G6, SEMIQUAVER), RINGTONE_NOTE(D7, SEMIQUAVER), RINGTONE_STOP
hfp_ring_caller_id	RINGTONE_TIMBRE(sine), RINGTONE_DECAY(16), RINGTONE_NOTE(B6, SEMIQUAVER), RINGTONE_NOTE(G6, SEMIQUAVER), RINGTONE_STOP

3044 events and default voice tones.xlsx

hfp_voice_dial	RINGTONE_TIMBRE(sine), RINGTONE_DECAY(16), RINGTONE_NOTE(D7, SEMIQUAVER), RINGTONE_STOP
hfp_voice_dial_disable	RINGTONE_TIMBRE(sine), RINGTONE_DECAY(16), RINGTONE_NOTE(D7, SEMIQUAVER), RINGTONE_STOP
hfp_answer	RINGTONE_TIMBRE(sine), RINGTONE_DECAY(16), RINGTONE_NOTE(D7, SEMIQUAVER), RINGTONE_STOP
hfp_hangup	RINGTONE_TIMBRE(sine), RINGTONE_DECAY(16), RINGTONE_NOTE(D7, SEMIQUAVER), RINGTONE_STOP
hfp_mute_active	RINGTONE_TIMBRE(sine), RINGTONE_DECAY(16), RINGTONE_NOTE(CS7, SEMIQUAVER), RINGTONE_NOTE(DS7, SEMIQUAVER), RINGTONE_STOP
hfp_mute_inactive	RINGTONE_TIMBRE(sine), RINGTONE_DECAY(16), RINGTONE_NOTE(DS7, SEMIQUAVER), RINGTONE_NOTE(CS7, SEMIQUAVER), RINGTONE_STOP
hfp_talk_long_press	RINGTONE_TIMBRE(sine), RINGTONE_DECAY(16), RINGTONE_NOTE(D7, SEMIQUAVER), RINGTONE_STOP
pairing	RINGTONE_TIMBRE(sine), RINGTONE_DECAY(16), RINGTONE_NOTE(D7, SEMIQUAVER), RINGTONE_STOP
paired	RINGTONE_TIMBRE(sine), RINGTONE_DECAY(16), RINGTONE_NOTE(A6, SEMIQUAVER), RINGTONE_NOTE(D7, SEMIQUAVER), RINGTONE_STOP
pairing_deleted	RINGTONE_TIMBRE(sine), RINGTONE_DECAY(16), RINGTONE_NOTE(D7, SEMIQUAVER), RINGTONE_NOTE(A6, SEMIQUAVER), RINGTONE_STOP
volume	RINGTONE_TIMBRE(sine), RINGTONE_DECAY(16), RINGTONE_NOTE(D7, SEMIQUAVER), RINGTONE_STOP
volume_limit	RINGTONE_TIMBRE(sine), RINGTONE_DECAY(16), RINGTONE_NOTE(D7, SEMIQUAVER), RINGTONE_NOTE(D7, SEMIQUAVER), RINGTONE_STOP
error	RINGTONE_TIMBRE(sine), RINGTONE_DECAY(16), RINGTONE_NOTE(B5, SEMIQUAVER), RINGTONE_NOTE(B5, SEMIQUAVER), RINGTONE_NOTE(B5, SEMIQUAVER), RINGTONE_STOP
battery_empty	RINGTONE_TIMBRE(sine), RINGTONE_DECAY(16), RINGTONE_NOTE(B6, SEMIQUAVER), RINGTONE_NOTE(B6, SEMIQUAVER), RINGTONE_STOP

3044 events and default voice tones.xlsx

power_on	RINGTONE_TIMBRE(sine), RINGTONE_DECAY(16), RINGTONE_NOTE(CS5, SEMIQUAVER), RINGTONE_NOTE(D5, SEMIQUAVER), RINGTONE_NOTE(A5, SEMIQUAVER), RINGTONE_STOP
power_off	RINGTONE_TIMBRE(sine), RINGTONE_DECAY(16), RINGTONE_NOTE(A5, SEMIQUAVER), RINGTONE_NOTE(D5, SEMIQUAVER), RINGTONE_NOTE(CS5, SEMIQUAVER), RINGTONE_STOP
paging_reminder	RINGTONE_TIMBRE(sine), RINGTONE_DECAY(16), RINGTONE_NOTE(A5, SEMIQUAVER), RINGTONE_NOTE(A5, SEMIQUAVER), RINGTONE_STOP
ama_unregistered	RINGTONE_TIMBRE(sine), RINGTONE_DECAY(16), RINGTONE_NOTE(G5, SEMIQUAVER), RINGTONE_NOTE(A5, SEMIQUAVER), RINGTONE_NOTE(F4, SEMIQUAVER), RINGTONE_NOTE(F5, SEMIQUAVER), RINGTONE_NOTE(C5, QUAVER), RINGTONE_STOP
ama_not_connected	RINGTONE_TIMBRE(sine), RINGTONE_DECAY(16), RINGTONE_NOTE(G5, SEMIQUAVER), RINGTONE_NOTE(G5, SEMIQUAVER), RINGTONE_NOTE(G5, SEMIQUAVER), RINGTONE_NOTE(E5, QUAVER), RINGTONE_STOP
ama_privacy_mode_disabled	RINGTONE_TIMBRE(sine), RINGTONE_DECAY(16), RINGTONE_NOTE(G6, DEMISEMIQUAVER), RINGTONE_NOTE(G6, DEMISEMIQUAVER), RINGTONE_NOTE(C7, SEMIQUAVER), RINGTONE_NOTE(REST, HEMIDEMISEMIQUAVER), RINGTONE_END
ama_privacy_mode_enabled	RINGTONE_TIMBRE(sine), RINGTONE_DECAY(16), RINGTONE_NOTE(G6, DEMISEMIQUAVER), RINGTONE_NOTE(G6, DEMISEMIQUAVER), RINGTONE_NOTE(C6, SEMIQUAVER), RINGTONE_NOTE(REST, HEMIDEMISEMIQUAVER), RINGTONE_END