

## Excel Export Setup File Parameters

Run Name: 8587- SO2100-6-XT4276-49.152M

Path: \\Srv2\Production\Thermal Run Data\

Print: All Operator:

Row A: Measured FL

Ref F: F @ 25.00°C (Actual)

Run Start: 17-Mar-2015 6:22 pm

Run Finish: 17-Mar-2015 7:09 pm

S&A W2200 Rev: 5.75 Report: 2.20

Setup File:

\\Srv2\Production\QCC for all\FABO\XT4276

CL: 16.5pF

Crystal ID	FL ±5 ppm	RR Ohms	C0 pF	C1 fF	Q >80 k	F/T ppm	IT1 °C	ANGL '
A046	1.8	13.7	2.82	1.284	185	-5.5	28.8	3.02
A047	0.6	13.9	2.81	1.275	183	-5.5	28.6	3.06
A048	0.4	14.4	2.84	1.237	182	-5.3	28.5	2.94
A050	1.8	13.8	2.81	1.268	185	-4.6	28.4	2.62
A051	1.4	13.8	2.83	1.263	186	-4.5	28.6	2.53
A052	0.9	13.5	2.83	1.255	191	-5.6	28.7	3.06
A053	1.3	13.2	2.87	1.262	194	-5.0	28.1	2.84
A057	-0.7	13.4	2.86	1.258	191	-4.9	28.3	2.77
A058	-1.1	15.2	2.82	1.225	174	-3.8	29.3	2.19
A060	2.2	13.7	2.86	1.304	181	-5.1	29.2	2.77
A061	1.0	13.5	2.81	1.278	188	-5.6	28.4	3.11
A063	-2.0	13.2	2.85	1.299	189	-5.4	28.5	3.02
A064	-0.8	14.4	2.75	1.278	176	-5.4	28.6	2.95
A065	0.6	14.1	2.76	1.278	179	-5.5	28.1	3.08
A069	2.0	14.5	2.80	1.265	177	-4.4	29.0	2.46
A071	1.4	14.3	2.82	1.294	175	-5.6	28.3	3.10
A073	0.9	12.9	2.86	1.308	191	-5.5	28.5	3.05
A074	1.6	13.0	2.84	1.284	193	-5.6	28.8	3.07
A075	0.8	13.0	2.82	1.299	191	-4.5	28.4	2.58
A078	-0.8	13.4	2.79	1.253	193	-5.6	28.8	3.10
A079	-0.4	15.1	2.83	1.254	171	-4.2	29.1	2.39
A080	0.6	15.5	2.77	1.227	170	-4.6	29.4	2.58