


REMARKS:

DIMENSIONS IN mm.
MATERIAL CABINET 18mm BLACK AND STANDARD MDF.
SIDE PANELS 19mm SOLID BEECH WOOD.
BRACINGS 44x27 SPRUCE WOOD.
PRITEX 42mm DAMPING GLEU TO ALL INNER PANELS EXCEPT BAFFLE.

TECHNICAL DATA:

Driver: Full Range from SEAS X1-04 EXOTIC F8.
Volume cabinet: 160 liter.
Sensitivity: 96 dB/W(m).
BR port (2x) 70mm diam. x 109mm length.
BR tuning @ 30 Hz.
Frequency range: 29Hz - 20kHz (-3dB).
Impedance: 4 Ohm.
Long time power 35 Watt.
Short time power 100 Watt.




SEAS Exotic F8
High Efficiency F.R. Speaker
Made by: M. den Boer 2023

AS - BUILT DRAWINGS

I hereby certify that this item submitted
herein complies in every respect with the
requirements of the Contract Drawings and
Specifications.:

Signed

Designed by HONDASNL	Checked by	Approved by	Date 25/01/2023	
< MdB >		DIMENSION DRAWING		
		Assembly Seas Exotic big	Edition 0	Sheet 2 / 4



SEAS Exotic F8

High Efficiency F.R. Speaker

Made by: M. den Boer 2023

REMARKS:

DIMENSIONS IN mm.
MATERIAL CABINET 18mm BLACK AND STANDARD MDF.
SIDE PANELS 19mm SOLID BEECH WOOD.
BRACINGS 44x27 SPRUCE WOOD.
PRITEX 42mm DAMPING GLEU TO ALL INNER PANELS EXCEPT BAFFLE.

TECHNICAL DATA:


Driver: Full Range from SEAS X1-04 EXOTIC F8.
Volume cabinet: 160 liter.
Sensitivity: 96 dB/W(m).
BR port (2x) 70mm diam. x 109mm length.
BR tuning @ 30 Hz.
Frequency range: 29Hz - 20kHz (-3dB).
Impedance: 4 Ohm.
Long time power 35 Watt.
Short time power 100 Watt.

AS - BUILT DRAWINGS

I hereby certify that this item submitted
herein complies in every respect with the
requirements of the Contract Drawings and
Specifications.

Signed

Designed by HONDASNL	Checked by	Approved by	Date 25/01/2023	
< MdB >		DIMENSION DRAWING		
		Assembly Seas Exotic big	Edition 0	Sheet 3 / 4



AS - BUILT DRAWINGS

I hereby certify that this item submitted
herein complies in every respect with the
requirements of the Contract Drawings and
Specifications.:

Signed



REMARKS:

DIMENSIONS IN mm.
MATERIAL CABINET 18mm BLACK AND STANDARD MDF.
SIDE PANELS 19mm SOLID BEECH WOOD.
BRACINGS 44x27 SPRUCE WOOD.
PRITEX 42mm DAMPING GLEU TO ALL INNER PANELS EXCEPT BAFFLE.

TECHNICAL DATA:

Driver: Full Range from SEAS X1-04 EXOTIC F8.
Volume cabinet: 160 liter.
Sensitivity: 96 dB/W(m).
BR port (2x) 70mm diam. x 109mm length.
BR tuning @ 30 Hz.
Frequency range: 29Hz - 20kHz (-3dB).
Impedance: 4 Ohm.
Long time power 35 Watt.
Short time power 100 Watt.

PARTS LIST				
ITEM	QTY	PART NUMBER		DESCRIPTION
1	3	rib 1		374
2	4	rib 2		226
3	1	rib 3		176
4	1	rib 4		209
5	4	rib 5		564
6	8	rib 6		262
7	4	rib 7		200
8	2	rib 8		240
Designed by		Checked by	Approved by	Date
HONDASNL				25/01/2023
< MdB >			DIMENSION DRAWING	
			Assembly Seas Exotic big	Edition 0 Sheet 4 / 4