



Simulate

For 1,000 ms after a reporting delay of 0 s

Result	Min	Max	Diff	Mean	RMS
<input type="checkbox"/> V(T1)	-25.742	25.742	51.484	-65.96...	15.844
<input type="checkbox"/> I(T1)	-18.684	18.452	37.136	-760.4...	4.2645
<input type="checkbox"/> V(B...	-24.167	1.3016	25.468	-11.712	15.446
<input type="checkbox"/> I(BR1)	-11.856u	18.452	18.452	928.87m	3.0185
<input type="checkbox"/> V(C1)	2.04720830938576...	24.266	24.266	18.304	20.037
<input type="checkbox"/> I(C1)	-5.0011	14.517	19.518	428.02m	<u>3.3229</u>
<input type="checkbox"/> V(R1)	7.40090345238802...	634.5...	634.5...	143.03m	184.5...
<input type="checkbox"/> I(R1)	7.40090345238802...	6.3459	6.3459	1.4303	1.8455
<input type="checkbox"/> V(C2)	0	23.835	23.835	18.101	19.842
<input type="checkbox"/> I(C2)	-642.03m	5.1130	5.7550	426.34m	<u>1.2718</u>
<input checked="" type="checkbox"/> V(R2)	0	23.835	23.835	18.101	19.842
<input checked="" type="checkbox"/> I(R2)	0	1.3242	1.3242	1.0056	1.1023

23-

22-

21-

20-

19-

18-