



HF INPUT				Part used on	Quantity
R1	±10%	2R7	17W		
R2	±10%	3R3	17W	1 23MAR 90	6/08
C1	±10%	1u5	100V		
C2	±10%	1u5	100V		
C3	±10%	1u5	100V		

LF INPUT			
R3	±10%	5R6	50W
C4	±10%	200u	100V
C5	±10%	10u	100V
C6	±10%	10u	100V
C7	±10%	10u	100V
C8	±10%	10u	100V
L1	±5%	2mH	
L2	±5%	4mH	

TANNOY

Model	Finish	Alt dimensions in millimeters	11% copy of
<p>Indicate</p> <p>CIRCUIT DIAGRAM - SYSTEM 205 CROSS OVER 7300 0263 TYPE III7</p>		<p>Level of tolerance unless otherwise stated</p> <p>One place of decimal dimensions = 0.1mm</p> <p>Two places of decimal dimensions = 0.01mm</p> <p>Notes 12 Dimensions diameter and under - 0.1 - 0.2mm</p> <p>Notes over 12 Dimensions diameter = 0.2mm</p>	<p>Exp. number</p> <p>Drawn <i>V. J. J. J.</i></p> <p>Checked</p> <p>Approved</p> <p>Scale</p>
		A3	0001 0037