

| Test frequency: | Vin | Vout | Gain | Zccs |
|-----------------|------|-------|------|-----------|
| 10 | | | 1630 | |
| 20 | | | 1846 | |
| 50 | 2.9 | 5.900 | 1926 | 9.467E+05 |
| 100 | 2.9 | 5.9 | 1926 | 9.467E+05 |
| 200 | 2.9 | 5.9 | 1896 | 9.319E+05 |
| 500 | 2.9 | 5.9 | 1869 | 9.187E+05 |
| 1000 | 2.9 | 5.9 | 1852 | 9.103E+05 |
| 2000 | 2.9 | 5.9 | 1852 | 9.103E+05 |
| 5000 | 2.9 | 5.95 | 1852 | 9.027E+05 |
| 10000 | 2.9 | 5.95 | 1852 | 9.027E+05 |
| 20000 | 2.9 | 5.8 | 1778 | 8.890E+05 |
| 33000 | 2.85 | 5.2 | 1630 | 8.934E+05 |
| 40000 | | | 1509 | |
| 50000 | 2.85 | 4.6 | 1370 | 8.488E+05 |
| 66000 | | | 1230 | |
| 100000 | | 3 | 923 | 0.000E+00 |

DC conditions:

Vss: 30.08V
770uA

Vccs: 24.37V

Iccs: