

Da: mhinch@tfc.co.uk
Inviato il: 11-feb-2015 17.26
A: "andrea_mori@tin.it" <andrea_mori@tin.it>
Cc:
Oggetto: Document in Quote 6837\1\49.152 MHz sc-cut 5th overtone

Allegati:

E-mail Quote

Mail To: andrea_mori@tin.it
Contact: Mr Andrea Mori
Company: FABO s.p.a.
Date: 10 February 2015
From: Meghan Hinch
Subject: LTP Quote No.: 6837 1

Dear Andrea,

Many thanks for your enquiry, we are pleased to offer our price and delivery as follows:-

Product	Qty	Price Each F.O.B.	Delivery
11.2896 MHz sc-cut 3rd overtone Frequency: (11.2896MHz), Cut mode: SC3 Package: HC43 Cold weld. Resonant mode: fundamental with polish finish Calibration @ LTP 82.5C: \pm xppm LTP:75C to 90C Load capacitance: 16.5pF Shunt capacitance C0: 2.5 pF C1: 0.15fF Drive level: 100uW Resistance: 110 Ohms Max Q factor: \geq 850K min Phase noise: N/A	15 pcs m.o.q. 100 pcs	CAD\$41.54 CAD\$26.13	8-9 weeks 8-9 weeks
22.5792 MHz sc-cut 3rd overtone Frequency: (22.5792MHz) Cut mode: SC3 Package: HC43 Cold weld. Resonant mode: fundamental with polish finish Calibration @ LTP 82.5C: \pm xppm LTP:75C to 90C Load capacitance: 16.5pF Shunt capacitance C0: 4.0 pF C1: 0.4fF Drive level: 100uW Resistance: 50 Ohms Max Q factor: \geq 400K min Phase noise: N/A	10 pcs m.o.q. 100 pcs	CAD\$41.54 CAD\$26.13	8-9 weeks 8-9 weeks
24.576 MHz sc-cut 3rd overtone Frequency: (24.576MHz), Cut mode: SC3 Package: HC43 Cold weld.	10 pcs m.o.q. 100 pcs	CAD\$41.54 CAD\$26.13	8-9 weeks 8-9 weeks

Resonant mode: fundamental with polish finish
Calibration @ LTTP 82.5C: ±xppm
LTTP:75C to 90C
Load capacitance: 16.5pF
Shunt capacitance C0: 4.0 pF
C1: 0.4fF
Drive level: 100uW
Resistance: 50 Ohms Max
Q factor: >= 350K min
Phase noise: N/A

45.1584 MHz sc-cut 5th overtone	10 pcs m.o.q.	CAD\$41.54	8-9 weeks
Frequency: (45.1584MHz),	100 pcs	CAD\$26.13	8-9 weeks
Cut mode: SC5,			
Package: HC43 Cold weld.			
Resonant mode: fundamental with polish finish			
Calibration @ LTTP 82.5C: ±xppm			
LTTP:75C to 90C			
Load capacitance: 16.5pF			
Shunt capacitance C0: 4.0 pF			
C1: 0.15fF			
Drive level: 100uW			
Resistance: 85 Ohms Max			
Q factor: >= 200K min			
Phase noise: N/A			

49.152 MHz sc-cut 5th overtone	10 pcs m.o.q.	CAD\$41.54	8-9 weeks
Frequency: (49.152MHz),	100 pcs	CAD\$26.13	8-9 weeks
Cut mode: SC5			
Package: HC43 Cold weld.			
Resonant mode: fundamental with polish finish			
Calibration @ LTTP 82.5C: ±xppm			
LTTP:75C to 90C			
Load capacitance: 16.5pF			
Shunt capacitance C0: 4.0 pF			
C1: 0.15fF			
Drive level: 100uW			
Resistance: 90 Ohms Max			
Q factor: >= 200K min			
Phase noise: N/A			

RoHS// REACH 1907/2006 Compliant

Serialize one to one Electrical Parameters , matching test report will be charged at \$0.85 per piece, if this service is required, please indicated when you are placing the order.

Marking space allowed see table below, the date code will be marked as WWYY				
Holder Types	Vertical Layout (Not include frequency decimal point)		Horizontal Layout (Not include frequency decimal point)	
	Characters	Lines	Characters	Lines
HC43 /HC49 STD	8	5	10	4

USE YOUR OWN CARRIER OR
OVERSEAS DELIVERY CHARGE (Weight under 0.5kg)
Use our UPS Account to USA -\$100.00
Use our UPS Account to EU - \$135.00
Use our UPS Account to rest of world -\$165.00

These prices are exclusive of carriage and applicable taxes and valid for 2 weeks, Orders received are subject to our standard terms and conditions of sale, a copy of which is available upon request

Best Regards
Meghan Hinch



Laptech Precision Inc.

230 Simpson Avenue South, Bowmanville, Ontario,Canada, L1C 2J3
Tel- +1 (905) 6234101, Fax - +1(905) 6233886
www.laptech.com

Registered in British Columbia, Company Registration Number: 0872564
This message contains confidential information and is intended only for the individual named. If you are not the named addressee you should not disseminate, distribute or copy this e-mail. Please notify the sender immediately by e-mail, thanks for your help.



Please consider the environment before printing this email.

5441100215					