


A300

A300



IMPORTANT: COMPONENTS MARKED WITH




SYMBOL ARE SAFETY CRITICAL
AND MUST ONLY BE REPLACED WITH
ORIGINAL PARTS SUPPLIED
BY THE MANUFACTURER

A300 INTEGRATED AMPLIFIER MAINS POWER SUPPLY SCHEMATIC MUSICAL FIDELITY LTD

DATE
14/11/99


ISSUE
01

RH I/P



R.H.

LH I/P



L.H.

* NOTE 1: TR1 & TR2 MUST BE MATCHED FOR HFE < 10% DIFFERENCE

* NOTE 2
L1 = 84 TURNS OF 22SWG (0.71MM DIA)
ENAMELLED COPPER WIRE - COIL DIA. 7.5MM
COIL TO BE FITTED OVER R28

* RH, RH1 & RV, RV1 FITTED TO A3 MODEL ONLY

* TR1,15,114 & 115 FITTED TO A300 MODEL ONLY

ISSUE 02
A3 & A300 INFO ADDED

AX300 INTEGRATED AMPLIFIER
POWER AMPLIFIER STAGES
MUSICAL FIDELITY

IMPORTANT
FUSES: F1, F2, F3 & F4
A3 MODEL FIT T4AL
A300 MODEL FIT T5AL

ISSUE	DATE
B1	06/2/99
B2	14/10/99