



VAMPL: 0.1V
FREQ: 20kHz
Run to time: 0.1ms
Maximum time step: 0.1ns
Number of harmonics: 5
TOTAL HARMONIC DISTORTION = 1.947471E-04 PERCENT

NO	(Hz)	COMPONENT	COMPONENT (DEG)	PHASE (DEG)
1	2.000E+04	2.760E+00	1.000E+00	-4.133E+00
2	4.000E+04	1.819E-06	6.991E-07	3.703E+01
3	6.000E+04	2.936E-06	1.064E-06	2.817E+01
4	8.000E+04	4.713E-05	2.909E-07	-7.362E+01
5	1.000E+05	4.039E-06	1.463E-06	-1.488E+02

VAMPL: 2V
FREQ: 1kHz
Run to time: 2ms
Maximum time step: 2ns
Number of harmonics: 3
TOTAL HARMONIC DISTORTION = 8.708426E-05 PERCENT

VAMPL: 1V
FREQ: 20kHz
Run to time: 0.1ms
Maximum time step: 0.1ns
Number of harmonics: 5
TOTAL HARMONIC DISTORTION = 5.534804E-04 PERCENT

NO	(Hz)	COMPONENT	COMPONENT (DEG)	PHASE (DEG)
1	2.000E+04	2.760E+01	1.000E+00	-4.133E+00
2	4.000E+04	2.066E-05	7.489E-07	-1.366E+02
3	6.000E+04	1.308E-04	4.739E-06	-3.014E+01
4	8.000E+04	4.713E-05	1.708E-06	1.602E+02
5	1.000E+05	5.990E-05	2.170E-06	-2.433E+01

VAMPL: 2V
FREQ: 20kHz
Run to time: 0.1ms
Maximum time step: 0.1ns
Number of harmonics: 5
TOTAL HARMONIC DISTORTION = 9.313082E-04 PERCENT

NO	(Hz)	COMPONENT	COMPONENT (DEG)	PHASE (DEG)
1	2.000E+04	5.820E+01	1.000E+00	-4.133E+00
2	4.000E+04	1.995E-04	3.614E-06	-1.800E+02
3	6.000E+04	1.162E-04	2.141E-06	1.760E+02
4	8.000E+04	9.714E-05	1.760E-06	-1.244E+02
5	1.000E+05	4.404E-04	8.123E-06	-1.962E+01