

Excel Export Setup File Parameters

Run Name: 9674-SO2385-10-XT4336-22.5792M
Path: \\Srv2\Production\Thermal Run Data\
Print: All Operator:
Run Start: 11-May-2016 11:32 am
S&A W2200 Rev: 5.73 Report: 2.20
Ref F: F @ 82.50°C (Actual)
Run Finish: 11-May-2016 12:48 pm
Setup File:
\\Srv2\Production\QCC for all\FABO\XT4336.qcc

CL: 16.5pF

Crystal ID	Serial #	FL ±3 ppm	RR 50 Ohms	C0 pF	C1 fF	Q 400 k	TP1 75-90 °C	IT1 °C	ANGL '
A001	1	-1.3	29.1	3.75	0.476	508	87.2	103.8	1.10
A002	2	-1.2	29.5	3.63	0.470	508	81.6	104.0	1.95
A006	3	-0.8	29.3	3.82	0.445	541	82.9	104.5	1.82
A008	4	-1.5	29.1	3.70	0.462	524	82.9	105.6	1.98
A009	5	-0.5	29.9	4.08	0.458	515	82.6	104.5	1.86
A010	6	-1.4	30.2	3.61	0.470	497	84.0	103.3	1.47
A012	7	-0.7	29.5	3.74	0.452	528	82.5	105.2	2.01
A015	8	-0.4	28.4	3.77	0.472	527	81.0	104.2	2.10
A016	9	-0.8	29.5	3.63	0.449	532	82.6	103.7	1.75
A023	10	-0.7	28.1	3.79	0.480	523	84.9	103.3	1.34
A024	11	-0.9	30.9	3.72	0.450	507	84.3	105.3	1.72
A027	12	-1.3	29.0	3.68	0.465	523	88.4	102.9	0.84
A028	13	-1.4	31.5	3.59	0.467	480	84.0	103.9	1.54
A031	14	-1.3	30.4	3.58	0.462	502	83.2	103.5	1.61
A032	15	-1.3	29.6	3.71	0.464	513	85.4	103.2	1.27

Run 9588									
Crystal ID	Serial #	FL ±3 ppm	RR 50 Ohms	C0 pF	C1 fF	Q 400 k	TP1 75-90 °C	IT1 °C	ANGL '
A002	16	-1.6	30.8	3.87	0.471	486	78.7	104.3	2.51
A004	17	-1.5	31.0	3.86	0.468	487	83.7	104.9	1.75
A005	18	-1.5	31.1	3.87	0.474	478	83.4	104.0	1.65
A007	19	-1.9	31.5	3.86	0.484	462	82.0	103.0	1.71
A011	20	-1.5	30.9	4.12	0.480	474	84.9	104.9	1.55
A012	21	-1.4	30.8	3.88	0.482	474	84.5	103.3	1.37