



19/02/2022 13:14:35

Channel Name	Span	Value	Min	Max	Average	σ
A	Amplitude at Peak	At Peak -1.457 dBV	-1.457 dBV	-1.457 dBV	-1.457 dBV	0 dBV
A	Frequency at Peak	At Peak 1.123 kHz	1.123 kHz	1.123 kHz	1.123 kHz	0 Hz




19/02/2022 13:14:36

Channel Name	Span	Value	Min	Max	Average	σ
A	Amplitude at Peak	At Peak -1.457 dBV	-1.457 dBV	-1.457 dBV	-1.457 dBV	0 dBV
A	Frequency at Peak	At Peak 1.123 kHz	1.123 kHz	1.123 kHz	1.123 kHz	0 Hz




19/02/2022 13:14:36

Channel Name	Span	Value	Min	Max	Average	σ
A	Amplitude at Peak	At Peak -1.457 dBV	-1.457 dBV	-1.457 dBV	-1.457 dBV	0 dBV
A	Frequency at Peak	At Peak 1.123 kHz	1.123 kHz	1.123 kHz	1.123 kHz	0 Hz




19/02/2022 13:14:37

Channel Name	Span	Value	Min	Max	Average	σ
A	Amplitude at Peak	At Peak -1.457 dBV	-1.457 dBV	-1.457 dBV	-1.457 dBV	0 dBV
A	Frequency at Peak	At Peak 1.123 kHz	1.123 kHz	1.123 kHz	1.123 kHz	0 Hz




19/02/2022 13:14:37

Channel Name	Span	Value	Min	Max	Average	σ
A	Amplitude at Peak	At Peak -1.457 dBV	-1.457 dBV	-1.457 dBV	-1.457 dBV	0 dBV
A	Frequency at Peak	At Peak 1.123 kHz	1.123 kHz	1.123 kHz	1.123 kHz	0 Hz




19/02/2022 13:14:37

Channel Name	Span	Value	Min	Max	Average	σ
A	Amplitude at Peak	At Peak -1.457 dBV	-1.457 dBV	-1.457 dBV	-1.457 dBV	0 dBV
A	Frequency at Peak	At Peak 1.123 kHz	1.123 kHz	1.123 kHz	1.123 kHz	0 Hz




19/02/2022 13:14:38

Channel Name	Span	Value	Min	Max	Average	σ
A	Amplitude at Peak	At Peak -1.457 dBV	-1.457 dBV	-1.457 dBV	-1.457 dBV	0 dBV
A	Frequency at Peak	At Peak 1.123 kHz	1.123 kHz	1.123 kHz	1.123 kHz	0 Hz




19/02/2022 13:14:38

Channel Name	Span	Value	Min	Max	Average	σ
A	Amplitude at Peak	At Peak -1.457 dBV	-1.457 dBV	-1.457 dBV	-1.457 dBV	0 dBV
A	Frequency at Peak	At Peak 1.123 kHz	1.123 kHz	1.123 kHz	1.123 kHz	0 Hz




19/02/2022 13:14:39

Channel Name	Span	Value	Min	Max	Average	σ
A	Amplitude at Peak	At Peak -1.457 dBV	-1.457 dBV	-1.457 dBV	-1.457 dBV	0 dBV
A	Frequency at Peak	At Peak 1.123 kHz	1.123 kHz	1.123 kHz	1.123 kHz	0 Hz




19/02/2022 13:14:39

Channel Name	Span	Value	Min	Max	Average	σ
A	Amplitude at Peak	At Peak -1.457 dBV	-1.457 dBV	-1.457 dBV	-1.457 dBV	0 dBV
A	Frequency at Peak	At Peak 1.123 kHz	1.123 kHz	1.123 kHz	1.123 kHz	0 Hz




19/02/2022 13:14:39

Channel Name	Span	Value	Min	Max	Average	σ
A	Amplitude at Peak	At Peak -1.457 dBV	-1.457 dBV	-1.457 dBV	-1.457 dBV	0 dBV
A	Frequency at Peak	At Peak 1.123 kHz	1.123 kHz	1.123 kHz	1.123 kHz	0 Hz




19/02/2022 13:14:40

Channel Name	Span	Value	Min	Max	Average	σ
A	Amplitude at Peak	At Peak -1.457 dBV	-1.457 dBV	-1.457 dBV	-1.457 dBV	0 dBV
A	Frequency at Peak	At Peak 1.123 kHz	1.123 kHz	1.123 kHz	1.123 kHz	0 Hz




19/02/2022 13:14:40

Channel Name	Span	Value	Min	Max	Average	σ
A	Amplitude at Peak	At Peak -1.457 dBV	-1.457 dBV	-1.457 dBV	-1.457 dBV	0 dBV
A	Frequency at Peak	At Peak 1.123 kHz	1.123 kHz	1.123 kHz	1.123 kHz	0 Hz




19/02/2022 13:14:41

Channel Name	Span	Value	Min	Max	Average	σ
A	Amplitude at Peak	At Peak -1.457 dBV	-1.457 dBV	-1.457 dBV	-1.457 dBV	0 dBV
A	Frequency at Peak	At Peak 1.123 kHz	1.123 kHz	1.123 kHz	1.123 kHz	0 Hz




19/02/2022 13:14:41

Channel Name	Span	Value	Min	Max	Average	σ
A	Amplitude at Peak	At Peak -1.457 dBV	-1.457 dBV	-1.457 dBV	-1.457 dBV	0 dBV
A	Frequency at Peak	At Peak 1.123 kHz	1.123 kHz	1.123 kHz	1.123 kHz	0 Hz




19/02/2022 13:14:41

Channel Name	Span	Value	Min	Max	Average	σ
A	Amplitude at Peak	At Peak -1.457 dBV	-1.457 dBV	-1.457 dBV	-1.457 dBV	0 dBV
A	Frequency at Peak	At Peak 1.123 kHz	1.123 kHz	1.123 kHz	1.123 kHz	0 Hz




19/02/2022 13:14:42

Channel Name	Span	Value	Min	Max	Average	σ
A	Amplitude at Peak	At Peak -1.457 dBV	-1.457 dBV	-1.457 dBV	-1.457 dBV	0 dBV
A	Frequency at Peak	At Peak 1.123 kHz	1.123 kHz	1.123 kHz	1.123 kHz	0 Hz




19/02/2022 13:14:42

Channel Name	Span	Value	Min	Max	Average	σ
A	Amplitude at Peak	At Peak -1.457 dBV	-1.457 dBV	-1.457 dBV	-1.457 dBV	0 dBV
A	Frequency at Peak	At Peak 1.123 kHz	1.123 kHz	1.123 kHz	1.123 kHz	0 Hz




19/02/2022 13:14:43

Channel Name	Span	Value	Min	Max	Average	σ
A	Amplitude at Peak	At Peak -1.457 dBV	-1.457 dBV	-1.457 dBV	-1.457 dBV	0 dBV
A	Frequency at Peak	At Peak 1.123 kHz	1.123 kHz	1.123 kHz	1.123 kHz	0 Hz




19/02/2022 13:14:43

Channel Name	Span	Value	Min	Max	Average	σ
A	Amplitude at Peak	At Peak -1.457 dBV	-1.457 dBV	-1.457 dBV	-1.457 dBV	0 dBV
A	Frequency at Peak	At Peak 1.123 kHz	1.123 kHz	1.123 kHz	1.123 kHz	0 Hz




19/02/2022 13:14:43

Channel Name	Span	Value	Min	Max	Average	σ
A	Amplitude at Peak	At Peak -1.457 dBV	-1.457 dBV	-1.457 dBV	-1.457 dBV	0 dBV
A	Frequency at Peak	At Peak 1.123 kHz	1.123 kHz	1.123 kHz	1.123 kHz	0 Hz




19/02/2022 13:14:44

Channel Name	Span	Value	Min	Max	Average	σ
A	Amplitude at Peak	At Peak -1.457 dBV	-1.457 dBV	-1.457 dBV	-1.457 dBV	0 dBV
A	Frequency at Peak	At Peak 1.123 kHz	1.123 kHz	1.123 kHz	1.123 kHz	0 Hz




19/02/2022 13:14:44

Channel Name	Span	Value	Min	Max	Average	σ
A	Amplitude at Peak	At Peak -1.457 dBV	-1.457 dBV	-1.457 dBV	-1.457 dBV	0 dBV
A	Frequency at Peak	At Peak 1.123 kHz	1.123 kHz	1.123 kHz	1.123 kHz	0 Hz




19/02/2022 13:14:44

Channel Name	Span	Value	Min	Max	Average	σ
A	Amplitude at Peak	At Peak -1.457 dBV	-1.457 dBV	-1.457 dBV	-1.457 dBV	0 dBV
A	Frequency at Peak	At Peak 1.123 kHz	1.123 kHz	1.123 kHz	1.123 kHz	0 Hz




19/02/2022 13:14:45

Channel Name	Span	Value	Min	Max	Average	σ
A	Amplitude at Peak	At Peak -1.457 dBV	-1.457 dBV	-1.457 dBV	-1.457 dBV	0 dBV
A	Frequency at Peak	At Peak 1.123 kHz	1.123 kHz	1.123 kHz	1.123 kHz	0 Hz




19/02/2022 13:14:45

Channel Name	Span	Value	Min	Max	Average	σ
A	Amplitude at Peak	At Peak -1.457 dBV	-1.457 dBV	-1.457 dBV	-1.457 dBV	0 dBV
A	Frequency at Peak	At Peak 1.123 kHz	1.123 kHz	1.123 kHz	1.123 kHz	0 Hz




19/02/2022 13:14:46

Channel Name	Span	Value	Min	Max	Average	σ
A	Amplitude at Peak	At Peak -1.457 dBV	-1.457 dBV	-1.457 dBV	-1.457 dBV	0 dBV
A	Frequency at Peak	At Peak 1.123 kHz	1.123 kHz	1.123 kHz	1.123 kHz	0 Hz




19/02/2022 13:14:46

Channel Name	Span	Value	Min	Max	Average	σ
A	Amplitude at Peak	At Peak -1.457 dBV	-1.457 dBV	-1.457 dBV	-1.457 dBV	0 dBV
A	Frequency at Peak	At Peak 1.123 kHz	1.123 kHz	1.123 kHz	1.123 kHz	0 Hz




19/02/2022 13:14:46

Channel Name	Span	Value	Min	Max	Average	σ
A	Amplitude at Peak	At Peak -1.457 dBV	-1.457 dBV	-1.457 dBV	-1.457 dBV	0 dBV
A	Frequency at Peak	At Peak 1.123 kHz	1.123 kHz	1.123 kHz	1.123 kHz	0 Hz




19/02/2022 13:14:47

Channel Name	Span	Value	Min	Max	Average	σ
A	Amplitude at Peak	At Peak -1.457 dBV	-1.457 dBV	-1.457 dBV	-1.457 dBV	0 dBV
A	Frequency at Peak	At Peak 1.123 kHz	1.123 kHz	1.123 kHz	1.123 kHz	0 Hz



19/02/2022 13:14:47

Channel Name	Span	Value	Min	Max	Average	σ
A	Amplitude at Peak	At Peak -1.457 dBV	-1.457 dBV	-1.457 dBV	-1.457 dBV	0 dBV
A	Frequency at Peak	At Peak 1.123 kHz	1.123 kHz	1.123 kHz	1.123 kHz	0 Hz



19/02/2022 13:14:48

Channel Name	Span	Value	Min	Max	Average	σ
A	Amplitude at Peak	At Peak -1.457 dBV	-1.457 dBV	-1.457 dBV	-1.457 dBV	0 dBV
A	Frequency at Peak	At Peak 1.123 kHz	1.123 kHz	1.123 kHz	1.123 kHz	0 Hz