

## SWR250FC

parameters and F response

Speaker unit data	Speaker unit data	Speaker unit data	Speaker unit data
Manufacturer: 181111FC-1	Manufacturer: 181111FC-2	Manufacturer: 181111FC-3	Manufacturer: 181111FC-4
Model:	Model:	Model:	Model:
Thiele-Small parameters	Thiele-Small parameters	Thiele-Small parameters	Thiele-Small parameters
Fs: 37 Hz	Fs: 37 Hz	Fs: 37 Hz	Fs: 37 Hz
Mmd: 17.2718 grams	Mmd: 17.2718 grams	Mmd: 17.2718 grams	Mmd: 17.2718 grams
Mms: 21.0368 grams	Mms: 21.0368 grams	Mms: 21.0368 grams	Mms: 21.0368 grams
Cms: 0.8795 mm/N	Cms: 0.8795 mm/N	Cms: 0.8795 mm/N	Cms: 0.8795 mm/N
Rms: 0.6038 kg/s	Rms: 0.7192 kg/s	Rms: 0.858 kg/s	Rms: 1.0406 kg/s
Vas: 153 liter	Vas: 153 liter	Vas: 153 liter	Vas: 153 liter
Xmax: ±1.8 mm	Xmax: ±1.8 mm	Xmax: ±1.8 mm	Xmax: ±1.8 mm
Sd: 350 cm <sup>2</sup>	Sd: 350 cm <sup>2</sup>	Sd: 350 cm <sup>2</sup>	Sd: 350 cm <sup>2</sup>
Re: 7 Ohm	Re: 7 Ohm	Re: 7 Ohm	Re: 7 Ohm
Le: 0.25 m.H	Le: 0.25 m.H	Le: 0.25 m.H	Le: 0.25 m.H
Bl: 5.9104 T·m	Bl: 6.8016 T·m	Bl: 7.6827 T·m	Bl: 8.8207 T·m
Qms: 8.1	Qms: 6.8	Qms: 5.7	Qms: 4.7
Qes: 0.98	Qes: 0.74	Qes: 0.58	Qes: 0.44
Qts: 0.8742	Qts: 0.6674	Qts: 0.5264	Qts: 0.4023
no: 0.7669 %	no: 1.0157 %	no: 1.2958 %	no: 1.7082 %
SPL: 90.85 dB-1W/1m	SPL: 92.07 dB-1W/1m	SPL: 93.13 dB-1W/1m	SPL: 94.33 dB-1W/1m
SPL: 91.43 dB-2.83V/1m	SPL: 92.65 dB-2.83V/1m	SPL: 93.71 dB-2.83V/1m	SPL: 94.91 dB-2.83V/1m

Open baffle

Open baffle and semi

Semi open baffle

Vented box

open baffle

