



| | | | | | |
|--------------------------------------|-------------|------|-------|---|------------------------|
| R1 | ±10% | 17W | 47R | ✓ | 0001 0107 |
| R2 | ±10% | 9W | 4R7 | ✓ | First used on Quantity |
| R3 | ±10% | 9W | 8R2 | ✓ | SCM10B |
| R4 | ±10% | 9W | 6R8 | ✓ | |
| R5 | ±10% | 9W | 2R2 | ✓ | |
| C1 | ±10% | 100v | 6u8 | ✓ | |
| C2 | ±10% | 100v | 3u3 | ✓ | |
| C3 | ±10% | 100v | 2u2 | ✓ | |
| C4 | ±10% | 100v | 4u7 | ✓ | |
| C5 | ±10% | 100V | 30u | ✓ | |
| L1 | ±5% | | 15mH | ✓ | |
| L2 | ±5% | | 0.7mH | ✓ | |
| T1 | Transformer | | | | |
| 47.0mm diameter in all positions | | | | | NTS |
| 1.0mm of tolerance in all dimensions | | | | | 1st number |
| 0.5mm of tolerance in all dimensions | | | | | Drawn DM |
| 2.0mm of tolerance in all dimensions | | | | | Inspected |
| 0.5mm of tolerance in all dimensions | | | | | Approved |
| 0.5mm of tolerance in all dimensions | | | | | Scale NTS |
| 0.5mm of tolerance in all dimensions | | | | | 0001 0107 |

TANNOY

1,2 kHz

CROSSOVER CIRCUIT FOR / SCM10B

A3 0001 0107