

## Excel Export Setup File Parameters

Run Name: 10332-SO2594-5-XT4336-22.5792M

Path: \\Srv2\production\Thermal Run Data\

Print: All Operator:

Run Start: 15-Feb-2017 12:45 pm

S&A W2200 Rev: 6.52 Report: 2.21

Ref F: F @ 82.50°C (Actual)

Run Finish: 15-Feb-2017 1:50 pm

Setup File:

\\Srv2\Production\QCC for all\FABO\XT4336.qcc

CL: 16.5pF

Run 9647									
Crystal ID	Serial #	FL ±3 ppm	RR 50 Ohms	C0 pF	C1 fF	Q 400 k	TP1 75-90 °C	IT1 °C	ANGL '
A004	1	-1.2	30.3	3.60	0.445	523	83.1	105.1	1.86
A007	2	-1.1	28.9	3.73	0.464	525	83.1	103.8	1.68
A011	3	-0.2	29.9	3.78	0.468	504	84.6	103.6	1.42
A014	4	-1.1	30.1	3.58	0.447	524	83.7	104.5	1.70
A017	5	-0.6	29.5	3.59	0.466	513	81.6	103.8	1.92
A018	6	-1.2	29.1	3.71	0.460	527	83.1	104.8	1.82
A020	7	-1.4	29.4	3.59	0.459	522	82.6	103.7	1.78
A021	8	-1.4	27.8	4.16	0.466	544	83.1	105.0	1.88
A022	9	-1.2	30.3	3.75	0.452	514	85.5	105.4	1.55
A025	10	-0.9	30.0	3.61	0.463	507	87.2	103.6	1.05
A030	11	-0.2	29.8	3.77	0.455	520	81.8	103.8	1.90
A033	12	-0.9	27.6	4.34	0.475	537	82.3	104.1	1.86
Run 9588									
A003	13	-1.5	30.1	3.86	0.475	493	83.0	103.7	1.68
A006	14	-0.8	36.0	4.19	0.473	415	84.0	104.8	1.63
A008	15	-2.0	33.8	3.89	0.474	440	82.0	105.1	1.96
A009	16	-2.0	29.4	4.06	0.491	488	81.2	103.0	1.81
A010	17	-1.7	31.7	3.88	0.471	472	82.3	104.9	1.92
A014	18	-1.7	31.7	3.85	0.480	464	82.2	103.3	1.72
Run 10332									
A001	19	-0.9	29.9	3.70	0.482	488	82.5	102.7	1.56